

Europäisches Patentamt

(19)

European Patent Office

Office européen des brevets



(11)

EP 0 731 575 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

11.09.1996 Bulletin 1996/37

(51) Int. Cl.⁶: H04H 1/00

(21) Application number: 96102567.3

(22) Date of filing: 21.02.1996

(84) Designated Contracting States:

DE FR GB IT

(30) Priority: 09.03.1995 FI 951106

(71) Applicant: NOKIA TECHNOLOGY GmbH

D-75175 Pforzheim (DE)

(72) Inventors:

- Rinne, Mika
02320 Espoo (FI)
- Rissanen, Kari
02760 Espoo (FI)
- Salomäki, Ari
33710 Tampere (FI)

(54) **A method to generate and to transfer a hyper-text document and a hyper-media service to a mobile digital audio receiver**

(57) The object of the invention is a method to transfer and to generate a hyper-text document and a hyper-media service to a mobile receiver. In the solution according to the invention the DAB transmission of the packet channel is demodulated in a demodulator (25) into sequential sub-channel signals (26 - 31) and the signal is divided into sub-channels in a demultiplexer

(32). The data channel is further divided into element channels which can be identified with the aid of the identifier field. The instruction for generating the document transmitted in the service data channel describes how the hyper-text document is generated from its elements by linking the elements.




Fig. 2

Description

The object of the invention is a transmission and identification system, which is used to transfer and to generate a hyper-text document and a hyper-media service to a mobile, a portable or a stationary receiver. The invention relates to digital audio communication (DAB, digital audio broadcasting) in portable mobile telephone devices.

A hyper-text document or a hyper-media document is a means to present information, which can contain picture, audio or text information, so that a link can be formed from the data fields to other fields in the same document or in a totally different document. A hypertext document differs from a normal file, particularly due to its flexible and versatile structure. The structure of a hyper-text document is treated in more detail e.g. in the patent publications EP-483 576, EP-483 577 and EP-551 696.

The invention relates to a new digital audio system (DAB). The DAB system defines a digital radio channel based on several carriers, so that the radio channel is suitable for the transmission of both audio and data services.

The prior art is described with reference to the enclosed figure 1, which shows the structure of a prior art DAB system.

The DAB transmission arrives first at the demodulator/demultiplexer 1, which then divides the transmission into the sub-channels 2 to 6. A fully digital transmission channel 2-6 can be either continuous communication (stream) or packet communication (packet). A continuous communication means for instance an audio/speech signal 7, a data signal 8, and a still picture or video signal 9. The packet communication is more flexible and presents a possibility to transmit more easily information units with a finite length. The packet communication blocks are shown at the numerals 10 to 15. Multi-media service blocks are shown at the numerals 16 to 17, a hyper-media service block at the numeral 18, a file based service at the numeral 19, and a hyper-text document service at the numeral 20.

In practice it has not been possible to realize transmission of a hyper-text document to a mobile user, because suitable transmission methods with their special requirements have not been available. A user display is shown at the numeral 21, a computer at the numeral 22, a car printer at the numeral 23, and a loudspeaker at the numeral 24.

The transmission of a hyper-text document to a mobile receiver has not succeeded through other systems, because the required data flow is extensive, there must be a flexible way to select parts from the data flow, and the data flow must be without errors.

The object of the present invention is to provide a transmission method to be used in a digital audio system (DAB, digital audio broadcasting), with the aid of which a hyper-text document and a hyper-media service can be generated and transferred to a mobile, portable

of stationary receiver. In order to achieve this the invention is characterized in that the DAB transmission of the packet channel is demodulated in a demodulator into sequential sub-channel signals, the signal is divided into sub-channels in a demultiplexer, the data channel or the data flow contained in the packet address is further divided into element channels with the aid of an identifier field, so that the data contents of each element channel can be separately identified with the aid of the identifier field, which identifies its information contents unequivocally, and that the instruction for generating the document transferred in the service data channel describes how the hyper-text document is generated from its elements by linking the elements.

The invention is described in detail below with reference to the enclosed figures, in which:

figure 1 shows the structure of a prior art DAB system;

figure 2 shows a method according to the invention for the transmission of a hyper-text document to a mobile receiver;

figure 3 shows the method according to the invention for generating the hyper-text document.

The figure 1 was described above. The solution according to the invention is described below with reference to the figures 2 and 3, which show an embodiment of the solution according to the invention.

Figure 2 shows the method according to the invention for the transmission of a hyper-text document to a mobile receiver. In the solution according to the invention the DAB transmission of the packet channel is demodulated in the demodulator 25 into sequential sub-channel signals 26 - 31. Then the signal is divided into subchannels in the demultiplexer 32.

In the method according to the invention the data channel or the data flow contained in the packet address is further divided into element channels with the aid of an identifier field, so that the data contents of each element channel can be separately identified with the aid of the identifier field, which identifies its information contents unequivocally.

Figure 3 shows the method according to the invention for generating the hyper-text document. The instruction for generating the document transmitted in the service data channel describes how the document is generated from its elements by linking the elements. It is also possible to present alternative ways to generate the document. Thus the receiver program can selectively select the elements which it requires. The decision criterion could be the receiver's ability to process and display pictures, for instance. Just as well the decision criterion could be the language or the version number of the text contained in the element.

A notable fact in the invention is that the sub-field of the packet channel is not used to indicate receiver

groups or a single receiver, but explicitly to identify the internal elements of the document. Essentially the document comprises elements to be linked together, and thus it is not a question of data which is transmitted as separate services.

With the aid of the transmission and identification method according to the invention the elements of the document can be transferred in parallel in the service channel, so that the receiver's program can sort out the required elements from the incoming data channel. The method specifically operates on the packet channel. The extended identification field of the element enables a more accurate allocation than the accurate packet address.

The final document is formed to a whole by combining the information contents of the elements with the aid of the control parameters. The elements can contain picture, voice or data signals. Control parameters define whether the elements are interchangeable, consecutive, excluding, or whether the occurrence of an element requires the parallel presence of certain other elements. The elements are temporal, in other words they have a finite length, and they can be represented as files.

The application program can utilize the elements in different ways. A document can be assembled in the computer's memory or on its fixed disk, and stored for display.

Alternatively the document may be assembled on one page at a time to be displayed to the user.

The solution according to the invention for the transmission of combinations of different picture, voice and data services can be utilized in numerous applications. Examples of the services could be the yellow pages picture index, service station directories, lists of passenger bulletins, and directories of hotels and restaurants. Other applications could be newspapers and comic books.

Claims

1. A method to be used in a DAB system to transfer and to generate a hyper-text document and a hyper-media service to a mobile receiver, characterized in that
 - the DAB transmission of the packet channel is demodulated in a demodulator (25) into sequential sub-channel signals (26 - 31),
 - the signal is divided into sub-channels in a demultiplexer (32),
 - the data channel or the data flow contained in the packet address is further divided into element channels with the aid of an identifier field, so that the data contents of each element channel can be separately identified with the aid of the identifier field, which identifies its information contents unequivocally, and that
 - the instruction for generating the document transferred in the service data channel

describes how the hyper-text document is generated from its elements by linking the elements.

2. A method according to claim 1, characterized in that the required elements are selectively selected by the receiver program.
3. A method according to claim 2, characterized in that in the selection the receiver program uses as a decision criterion the receiver's ability to process and display pictures.
4. A method according to claim 2, characterized in that in the selection the receiver program uses as a decision criterion the language of the text contained in the element.
5. A method according to claim 2, characterized in that in the selection the receiver program uses as a decision criterion the version number of the text contained in the element.
6. A method according to any of the previous claims, characterized in that the sub-field of the packet channel is used to identify the internal elements of the document.
7. A method according to claim 6, characterized in that the final document is formed to a whole by combining the information contents of the elements with the aid of control parameters.
8. A method according to claim 7, characterized in that the control parameters define whether the elements are interchangeable, consecutive, excluding, or whether the occurrence of an element requires the parallel presence of certain other elements.
9. A method according to claim 8, characterized in that a document is assembled in a computer's memory and stored for display.
10. A method according to claim 8, characterized in that a document is assembled on one page at a time to be displayed to the user.
11. A method according to claim 1, characterized in that the document or service is output for instance to a printer, on a PC, in a TV, by a multi-media communications device, or by a speech synthesizer.




Fig. 1




Fig. 2





Fig. 3



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 0 731 575 A3

(12) EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
01.09.1999 Bulletin 1999/35

(51) Int. Cl.⁶: H04H 1/00

(43) Date of publication A2:
11.09.1996 Bulletin 1996/37

(21) Application number: 96102567.3

(22) Date of filing: 21.02.1996

(84) Designated Contracting States:
DE FR GB IT

(30) Priority: 09.03.1995 FI 951106

(71) Applicant: NOKIA TECHNOLOGY GmbH
75175 Pforzheim (DE)

(72) Inventors:
• Rinne, Mika
02320 Espoo (FI)
• Rissanen, Kari
02760 Espoo (FI)
• Salomäki, Ari
33710 Tampere (FI)

(54) A method to generate and to transfer a hyper-text document and a hyper-media service to a mobile digital audio receiver

(57) The object of the invention is a method to transfer and to generate a hyper-text document and a hyper-media service to a mobile receiver. In the solution according to the invention the DAB transmission of the packet channel is demodulated in a demodulator (25) into sequential sub-channel signals (26 - 31) and the signal is divided into sub-channels in a demultiplexer

(32). The data channel is further divided into element channels which can be identified with the aid of the identifier field. The instruction for generating the document transmitted in the service data channel describes how the hyper-text document is generated from its elements by linking the elements.




Fig. 2

EP 0 731 575 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 10 2567

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	WO 94 10775 A (SCIENTIFIC ATLANTA) 11 May 1994 (1994-05-11) * page 1, line 1 - page 6, line 2; claims 1,17,23,32,36; figure 1 *	1	H04H1/00
A	DE 43 19 217 A (ROHLING HERMANN PROF DR ; PLAGGE WILFRIED DIPL ING (DE)) 15 December 1994 (1994-12-15) * page 2, line 1 - line 65; claim 1; figures 1,2 *	1	
A	EP 0 578 041 A (IBM) 12 January 1994 (1994-01-12) * column 1, line 1 - column 4, line 35; claims 1,7; figures 1,2 *	1	
A	DE 94 11 287 U (MÜLLER-RÖMER, FRANK) 20 October 1994 (1994-10-20) * the whole document *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			H04H
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 8 July 1999	Examiner De Haan, A.J.
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 96 10 2567

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08-07-1999

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9410775	A	11-05-1994	US 5400401 A	21-03-1995
			AU 5575894 A	24-05-1994
			EP 0682830 A	22-11-1995
			JP 8503823 T	23-04-1996
			US 5359601 A	25-10-1994
			US 5418782 A	23-05-1995

DE 4319217	A	15-12-1994	NONE	

EP 0578041	A	12-01-1994	US 5442633 A	15-08-1995
			CA 2095447 A,C	09-01-1994
			JP 2637901 B	06-08-1997
			JP 6104926 A	15-04-1994

DE 9411287	U	20-10-1994	DE 4435667 A	18-01-1996

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

This Page Blank (uspto)